

Canine Drug Protocol

Weight Lbs	Acepromazine mL (SQ) 10mg/ml	Telazol mL (IV) 100mg/ml	Morphine mL (IM) 15mg/ml	Meloxicam ml (SQ) 5mg/ml
2	0.015	0.01	0.10	0.01
3	0.015	0.02	0.10	0.02
4	0.015	0.03	0.10	0.03
5	0.015	0.03	0.10	0.04
6	0.025	0.04	0.15	0.05
7	0.025	0.05	0.15	0.06
8	0.025	0.06	0.15	0.07
9	0.025	0.06	0.15	0.08
10	0.025	0.07	0.15	0.09
11	0.050	0.08	0.25	0.10
12	0.050	0.09	0.25	0.11
13	0.050	0.09	0.25	0.11
14	0.050	0.10	0.25	0.12
15	0.050	0.11	0.25	0.13
16	0.050	0.12	0.30	0.14
17	0.050	0.12	0.30	0.15
18	0.050	0.13	0.30	0.16
19	0.050	0.14	0.30	0.17
20	0.050	0.15	0.30	0.18
21	0.075	0.15	0.40	0.19
22	0.075	0.16	0.40	0.20
23	0.075	0.17	0.40	0.21
24	0.075	0.18	0.40	0.21
25	0.075	0.18	0.40	0.22
26	0.075	0.19	0.45	0.23
27	0.075	0.20	0.45	0.24
28	0.075	0.21	0.45	0.25
29	0.075	0.21	0.45	0.26
30	0.075	0.22	0.45	0.27
31	0.100	0.23	0.55	0.28
32	0.100	0.24	0.55	0.29
33	0.100	0.24	0.55	0.30
34	0.100	0.25	0.55	0.31
35	0.100	0.26	0.55	0.31

Canine Drug Protocol

Weight Lbs	Acepromazine	Telazol	Morphine	Meloxicam
	mL (SQ) 10mg/ml	mL (IV) 100mg/ml	mL (IM) 15mg/ml	ml (SQ) 5mg/ml
36	0.100	0.27	0.60	0.32
37	0.100	0.27	0.60	0.33
38	0.100	0.28	0.60	0.34
39	0.100	0.29	0.60	0.35
40	0.100	0.30	0.60	0.36
41	0.125	0.30	0.70	0.37
42	0.125	0.31	0.70	0.38
43	0.125	0.32	0.70	0.39
44	0.125	0.33	0.70	0.40
45	0.125	0.33	0.70	0.41
46	0.125	0.34	0.75	0.41
47	0.125	0.35	0.75	0.42
48	0.125	0.36	0.75	0.43
49	0.125	0.36	0.75	0.44
50	0.125	0.37	0.75	0.45
51	0.150	0.38	0.85	0.46
52	0.150	0.39	0.85	0.47
53	0.150	0.39	0.85	0.48
54	0.150	0.40	0.85	0.49
55	0.150	0.41	0.85	0.50
56	0.150	0.42	0.90	0.51
57	0.150	0.42	0.90	0.51
58	0.150	0.43	0.90	0.52
59	0.150	0.44	0.90	0.53
60	0.150	0.45	0.90	0.54
61	0.150	0.45	1.00	0.55
62	0.150	0.46	1.00	0.56
63	0.150	0.47	1.00	0.57
64	0.150	0.48	1.00	0.58
65	0.150	0.48	1.00	0.59
66	0.150	0.49	1.00	0.60
67	0.150	0.50	1.00	0.61
68	0.150	0.51	1.00	0.61
69	0.150	0.51	1.00	0.62

Canine Drug Protocol

Weight Lbs	Acepromazine mL (SQ) 10mg/ml	Telazol mL (IV) 100mg/ml	Morphine mL (IM) 15mg/ml	Meloxicam ml (SQ) 5mg/ml
70	0.150	0.52	1.00	0.63
71	0.175	0.53	1.20	0.64
72	0.175	0.54	1.20	0.65
73	0.175	0.54	1.20	0.66
74	0.175	0.55	1.20	0.67
75	0.175	0.56	1.20	0.68
76	0.175	0.57	1.20	0.69
77	0.175	0.57	1.20	0.70
78	0.175	0.58	1.20	0.71
79	0.175	0.59	1.20	0.71
80	0.175	0.60	1.20	0.72
81	0.175	0.60	1.40	0.73
82	0.175	0.60	1.40	0.74
83	0.175	0.60	1.40	0.75
84	0.175	0.60	1.40	0.76
85	0.175	0.60	1.40	0.77
86	0.175	0.60	1.40	0.78
87	0.175	0.60	1.40	0.79
88	0.175	0.60	1.40	0.80
89	0.175	0.60	1.40	0.81
90	0.175	0.60	1.40	0.81
91	0.175	0.60	1.40	0.82
92	0.175	0.60	1.40	0.83
93	0.175	0.60	1.40	0.84
94	0.175	0.60	1.40	0.85
95	0.175	0.60	1.40	0.86
96	0.175	0.60	1.40	0.87
97	0.175	0.60	1.40	0.88
98	0.175	0.60	1.40	0.89
99	0.175	0.60	1.40	0.90
100	0.175	0.60	1.40	0.90
101	0.175	0.60	1.80	0.91
102	0.175	0.60	1.80	0.92
103	0.175	0.60	1.80	0.93

Canine Drug Protocol

Weight Lbs	Acepromazine mL (SQ)	Telazol mL (IV)	Morphine mL (IM)	Meloxicam ml (SQ)
	10mg/ml	100mg/ml	15mg/ml	5mg/ml
104	0.175	0.60	1.80	0.94
105	0.175	0.60	1.80	0.95
106	0.175	0.65	1.80	0.96
107	0.175	0.65	1.80	0.97
108	0.175	0.65	1.80	0.98
109	0.175	0.65	1.80	0.99
110	0.175	0.70	2.00	1.00

Drug	Concentration	Dosage	Route
Ace	10 mg/ml	0.05 mg/kg	SQ
Telazol	100 mg/ml	1.5 mg/kg	IV
Morphine	15 mg/ml	0.5 mg/kg	IM
Meloxicam	5 mg/ml	0.1 mg/kg	SQ

Canine drug protocol:			
Acepromazine is administered SQ as a pre-med			
Telazol is administered IV to induce			
Morphine is administered IM immediately after induction			
Meloxicam is administered SQ immediately post-op			